Young Adult Survey of Zimbabwe (YAZ) Biomarker Questionnaire

H1	PERFORM PRE-TEST COUNSELING AS NEEDED ACCORDING TO THE RESPONDENT AND THE CONSENTS OBTAINED. IF RESPONDENT OFFERS DOCUMENTATION/PROOF OF TREATMENT VERIFYING AN HIV POSITIVE STATUS, ONLY COLLECT BLOOD SAMPLE, DO NOT CONDUCT TESTING.		
H2	PREPARE TESTING MATERIALS AND CONTINUE WITH SAMPLE COLLECTION AND TESTING. STICK: 1. THE 1 ST BARCODE STICKER ON THE EDTA TUBE OR MINICOLLECT TUBE 2. WRITE PID WITH PEN ON THE DETERMINE RAPID TEST 3. WRITE PID WITH PEN ON THE FIRST RESPONSE RAPID TEST (IF NECESSARY) 4. WRITE PID WITH PEN ON THE INSTI/CHEMBIO RAPID TEST (IF NECESSARY)		
	INPUT BARCODE STICKER ID		
	CONFIRM BARCODE STICKER ID		
Н3	COLLECT THE BLOOD SAMPLE IN AN EDTA TUBE OR A MINICOLLECT TUBE	BLOOD COLLECTED	1 2 88 99 ► H11
H4	CONDUCT THE DETERMINE RAPID TEST AND RECORD THE RESULT	POSITIVE NEGATIVE OTHER DECLINED	1 H6 2 88 99
H5	IF H4 = 2/NEGATIVE, THEN RESPONDENT IS SERONEGATIVE: GO TO H10		
Н6	CONDUCT THE FIRST RESPONSERAPID TEST AND RECORD THE RESULT	POSITIVE NEGATIVE OTHER DECLINED	1 2 88 99 H11
H7	IF H6 = 1/POSITIVE, THEN RESPONDENT IS SEROPOSITIVE: GO TO H10		
Н8	CONDUCT THE [CHEMBIO] RAPID TEST AND RECORD THE RESULT	POSITIVE NEGATIVE OTHER DECLINED	1 2 88 99
Н9	IF H8 = 1/POSITIVE, THEN RESPONDENT IS SEROPOSITIVE, GO TO H10 IF H8 = 2/NEGATIVE, THEN RESPONDENT IS SERONEGATIVE, GO TO H10		
H10	PERFORM POST-TEST COUNSELING DEPENDING ON THE RESULT. REFER PARTICIPANTS TESTING HIV POSITIVE FOR CARE AND TREATMENT		
PLACI	E REMAINING BARCODE STICKERS IN ZIPLOCK	BAG IN COOLER BOX.	
H11	INCOMPLETE HIV TESTING: NOTE THE POINT AT WHICH THE RESPONDENT STOPPED THE TESTING PROCEDURES, THE REASON(S) FOR THE INCOMPLETE TESTING AND ANY OTHER RELEVANT NOTES IN THE COMMENTS SECTION. END OF TESTING		
H12	HIV TESTING COMPLETED. THANK THE RESPONDENT FOR THEIR PARTICIPATION. CLEAN UP MATERIALS AND LEAVE THE HOUSEHOLD		